

## Carbon Drawn Seamless Stainless, Carbon & Alloy Steel Hydraulic/Michanical Tubes Manufacturing Range

WT IN MM																					
MIN		0.50	1.00	1.50	2.00	2.50	3.00	3.50	4.00	5.00	6.00	7.00	8.00	9.00	10.00	12.00	14.00	16.00	18.00	20.00	22.00
MAX		1.00	1.50	2.00	2.50	3.00	3.50	4.00	5.00	6.00	7.00	8.00	9.00	10.00	12.00	14.00	16.00	18.00	20.00	22.00	24.00
OD IN MM																					
MIN	MAX																				
6.00	8.00	√	√	√	√																
8.00	10.00	√	√	√	√	√															
10.00	16.00	√	√	√	√	√	√	√													
16.00	25.00	√	√	√	√	√	√	√	√	√											
25.00	30.00	√	√	√	√	√	√	√	√	√	√	√									
30.00	40.00	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√					
40.00	50.00		√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√		
50.00	60.00			√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	
60.00	75.00				√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	
75.00	90.00				√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	
90.00	110.00				√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√
110.00	130.00				√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√
130.00	150.00				√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√
150.00	175.00				√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√
175.00	200.00				√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√
200.00	220.00				√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√	√

For Carbon and Alloy Steel Tubes Cross Section Kg/mtr Weight is: (in mm): (OD -Thk) x Thk x 0.0246615. For Stainless Steel Tubes Cross Section Kg/mtr weight: (in mm): (OD -Thk) x Thk x 0.0252